

Ferrolì

Water Purifier

A premium water purifier for a smarter & healthier lifestyle




Intelligent Display Panel



Hot & Normal Water

5 Stage
Water Purification System



About Us


Ferrolì, the European multinational for domestic and industrial air-conditioning and water heating, was founded in 1955 by Dante Ferrolì in San Bonifacio, near Verona in Italy. Today, six decades later, Ferrolì has 30 plants and business organisations, 6 R&D centres and operates in over 100 countries worldwide.

FERROLI WATER PURIFIER ADVANTAGE

Ferrolì's all-new water purifier comes with 5 stage water purification technology that ensures pure and safe, normal and hot drinking water as per your need. With its intelligent microprocessor, the purifier smartly executes each operation. Its sleek design provides a classic look and uses less space. Plus, easy DIY maintenance saves service costs and provides the convenience of smooth operation.

Intelligent Display Panel

It comes with a simple and elegant display with smart functionalities. The display has an intelligent blink indicator to notify you about water temperature, process stage, water levels, and even of unusual interruptions if any.



Hot & Normal Water

It has an exclusive SS hot pot tank for storing and preserving the hot water. Now, you don't have to wait to brew your tea or prepare your baby food, all you have to do is tap on a button.

Microprocessor Based Purification

A single integrated chip called the microprocessor is like an artificial brain that controls the entire function of the water purifier. It is designed to execute tasks that are defined by a program inside the system such as auto protection, tank fill, cut off, flushing and alarm.



Easy DIY Maintenance

Its state-of-the-art do-it-yourself filter replacement feature is designed for hassle-free home maintenance. You can easily replace the filter with readily available genuine Ferrolì filters. It saves your service costs and time.


Dual Mounting Option

Ferrolì water purifier comes with the dual convenience of wall mounting or tabletop option. The sleek design gives it a premium look, enriching the aesthetics of your house and saving space.



5Stage[®]

Water Purification System



Sediment Filter

Function

Removes coarse & fine suspended impurities such as sand, silt, dust, clay, etc.

Benefits

The sediment filter functions as pretreatment & protection for the RO system.

Pre-Activated Carbon Filter

Function

Traps chemicals & smaller particles, such as chlorine. These filters are usually larger than post-carbon filters as they cover the source water & have to handle much more water at once.

Benefits

Removes bad odour & organic impurities like pesticides.

RO Membrane

Function

Removes dissolved contaminants & hazardous heavy metals from source water such as iron, dissolved solids, pesticides & fluoride etc.

Benefits

Reduces risk factors by removing chemicals & dissolved impurities delivering safe & healthy drinking water.

Post-Activated Carbon Filter

Function

Removes the odours plus toxins & particles that were left by the first activated carbon filter. It's smaller than the first filter, as it only covers 30-35% of the water load that the first one.

Benefits

Removes 100% toxins & odours.

UV Filter

Function

The purifier also uses an ultraviolet lamp to remove bacteria & microbes, thus preventing any possible infections & diseases.

Benefits

Kills bacteria & germs.

FEATURES



Hot & Normal Water



Microprocessor Based Purification



DIY-Easy Maintenance



RO + UV



Dual Mounting Option



Compact Design



Intelligent Display Panel



Auto Fill



Auto Flush



Power Indicator



Auto Water Cut-Off



Quiet Pump



Tank Protection Cover



SS Hot Pot



Taste Enhancer



Electrical Protection System



Water Storage



Removable Dispenser

Specifications

Product name	Reverse Osmosis Water Purifier
Product model	RU-DH5
Adapter output voltage	24 VDC
Adapter output current	1.6 A
Working pressure of RO membrane	0.4-0.8 MPa
Rated voltage/frequency	220 V-/50Hz
Inlet pressure	0.1-0.4 MPa
Heating power	600 W
Rated power	636 W
Rated hot water capacity	≥ 90°C, 4L/hr
Type of protection against electric shock	I class
Water flow	0.19 L/min
Rated total net water	2000 L
Apply to the environment	Ambient temperature 4-40, relative humidity 90%, RH (indoor) applicable temperature 5-38
Apply to water quality	Municipal tap water
Product size (HxWxD)	436 x 575 x 283 mm
Storage tank capacity	5 L + 1 L
UV lamp wattage	0.1 W
TDS range	Up to 2000 ppm/Iron 0.3 ppm (max)
Net/Gross weight (kg)	10/13
Ingress protection	IPX1
RO membrane type	Polyamide composite membrane 1812-75 GPD



Ferrolì Heating (South Asia) Pvt. Ltd.,
Evoma, Prestige Featherlite Tech Park, 148, 2nd Phase,
EPIP Zone, Whitefield, Bangalore - 560066, Karnataka.
+91 80 49033042



Scan the QR Code to
Visit us at
www.ferrolì.co.in

Ferrolì SpA
via Ritonda 78/A, 37047 San Bonifacio (VR), Italy
Tel: +39 045 6139411 | www.ferrolì.com



Toll free: **1800 103 8533**

customer.care@ferrolì.co.in | www.ferrolì.co.in

smart.care SMS 'Ferrolì Care' to 56161 | What's App No. : +91 73495 08533

Features may vary from model to model. As a continuing policy of product improvement at Ferrolì, the design and product specifications are subject to change without prior notice.